

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7890332	manipulat\$3 or chang\$3 or modif\$4 or process\$3 or convert\$4 or edit\$4 or updat\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:29
L2	7083814	thread\$2 or instruction\$2 or process\$2 or task\$2 or packet\$2 or stream\$2 or datagram or data or byte\$2 or bits	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:29
L3	1772490	L1 near5 L2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:29
L4	5489706	classif\$6 or group\$3 or sort\$3 or arrang\$4 or assign\$3 or categor\$4 or catalog\$4 or collect\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:33
L5	681504	I2 near5 I4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:35
L6	180779	I3 same I5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:35
L7	133392	I3 with I5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:35
L8	91085	I3 near5 I5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:36
L9	5443	(I6 or I7 or I8) and hash	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:37
L10	4919371	(monitor\$3 or statistic\$2 or track\$3 or measur\$5 or supervis\$3 or analy\$5 or progress\$3 or collect\$5 or observ\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:39
L11	892150	I2 near5 I10	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:39
L13	4382	I9 and I11	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:41

L14	2594	(@ad<"20001222" or @rlad<"20001222") and l13	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:42
L15	593	l14 and (input or output) adj3 (buffer or memory or ram or database)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:51
L16	149	l15 and ("370" or "709").das.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:51
S1	2	"20020083297"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:04
S2	4174936	(pipe adj3 lin\$3 or stag\$3 or hierarch\$4 or serial or parallel or sequenc\$3 or simultane\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:11
S4	7870783	manipulat\$3 or chang\$3 or modif\$4 or process\$3 or convert\$4 or edit\$4 or updat\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 08:29
S5	7065266	thread\$2 or instruction\$2 or process\$2 or task\$2 or packet\$2 or stream\$2 or datagram or data or byte\$2 or bits	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:25
S6	5476806	classif\$6 or group\$3 or sort\$3 or arrang\$4 or assign\$3 or categor\$4 or catalog\$4 or collect\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 15:30
S7	4174936	(pipe adj3 lin\$3 or stag\$3 or hierarch\$4 or serial or parallel or sequenc\$3 or simultane\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 15:29
S8	908877	S7 with S5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:51
S9	2146968	S4 near10 S5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:33
S10	885791	S6 near10 S5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:46
S11	40347	S8 same S9 same S10	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:49

S12	27953	S11 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:47
S14	146103	S9 near10 S10	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:51
S15	14509	(S9 near10 S10) with S8	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:52
S16	10150	S15 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:52
S17	1431416	S4 near3 S5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:57
S18	515824	S6 near3 S5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:53
S19	18985	S8 same S17 same S18	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:58
S20	13016	S19 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:59
S21	787622	S5 near10 S7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 15:01
S22	85606	S18 with S17	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 15:01
S23	11250	S22 same S21	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 15:05
S26	12760	(S7 near3 S5) near10 (S5 with S4) near10 (S5 with S6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 15:28
S27	9146	S26 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 15:29

S28	3401703	(pipe adj3 lin\$3 or hierarch\$4 or parallel or sequenc\$3 or simultane\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 15:29
S29	5197467	classif\$6 or group\$3 or arrang\$4 or categor\$4 or catalog\$4 or collect\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 15:30
S30	47415	(S4 with S5) same (S5 with S28) same (S29 with S5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 10:08
S32	1749	S30 and "712".das.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 10:11
S33	1460	S32 and (@ad<"20001222" or @rlad<"20001222")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 10:32
S34	82	S32 and (@ad<"20001222" or @rlad<"20001222") and hash	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 11:16
S35	2	"20030154279"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 15:59
S36	2	"6779016".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 15:59

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4304286	(many or plural\$5 or multipl\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:54
S2	5662238	thread\$2 or process\$2 or task\$2 or session\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:56
S3	1386119	instruction\$2 or command\$2 or operator\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:58
S4	29342	S1 near10 S2 with S3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 09:59
S5	5631508	tim\$4 or (cpu adj3 cycle\$2) or (process\$3 adj3 cycle\$2) or stag\$3 or clock\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 10:01
S6	7492810	shift\$3 or forward\$3 or mov\$3 or transfer\$3 or chang\$3 or exchang\$3 or switch\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 10:06
S7	1361909	S5 near10 S6	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 10:06
S8	1563266	S5 with S6	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 10:08
S9	9917	(S7 or S8) same pipelin\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 10:10
S10	264	S4 same S9	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 10:10
S11	211	(@ad<"20001222" or @riad<"20001222") and S10	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 10:10
S12	2	"20050086353"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 12:21

S13	2	"20040083299"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 12:16
S14	4	"6625150"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 12:49
S15	2	"20020083297"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:43
S16	2	"20050190694"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 12:59
S17	1	"20050243850"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 12:59
S18	2	"6813243".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:16